

避震器彈簧壓縮機
SHOCK ABSORBERS SPRING
COMPRESSOR





HA101


避震器彈簧壓縮機

1. 適用於各式可從車輛上拆卸下來的避震器使用。
2. 手動操作，無需電力，操作簡單，方便又安全。
3. 附有防護罩及輔助支撐盤，有效保護操作人員的安全。
4. 專業型避震器彈簧壓縮機，附有多種夾具，可自由搭配使用，讓您在工作上更為安全、快速。

SHOCK ABSORBERS SPRING COMPRESSOR

1. Suitable for various of shock absorbers which can be dismantled from vehicles.
2. To be operated manually; no electricity is needed. The operation is quite easy. It is both convenient and safe.
3. Equipped protect shield and support plate; can effectively protect the safety of operating personnel.
4. Professional spring compressor; Equipped with many sorts of clamping device; can be freely coordinated & Matched for better usage. This makes your job process safer and quicker.

標準配備/Standard Accessories



Model (A+C)

1.



Model (B+B)

2.




Model (B+C)

3.



Model (B+D)

4.



以上僅示範部份用法,可依實際狀況做夾具更換調整 / These are only some of the usage demonstration, as per conditions to choose clamps.



手輪 / Hand Wheel

可以用來調整夾具的高低，來適應不同長度的避震器彈簧。
Hand wheel can be used to adjust the clamp holder level, to adapt the different lengths of shock absorber spring.

防護罩 / Protect Shield

防護罩可以有效保護操作人員的安全。
Protect shield can effectively protect the safety of operating personnel.

高品質油壓幫浦 / High Quality Hydraulic Pump

高品質油壓幫浦提供穩定的油壓壓力，使操作機器事半功倍。
High quality hydraulic pump provides stable hydraulic pressure on the operation of the machine

多用途夾具座 / Multipurpose Holder

多用途夾具座可搭配不同的夾具來適應不同種類的避震器。
Multipurpose holders can be used with different clamp to accommodate different types of shock absorbers.

輔助支撐盤 / Support Plate

輔助支撐盤可以輔助支撐避震器，避免避震器未固定完全而掉落。
Support plate can be used to assist support the shock absorbers, to avoid shock absorbers are not fixed completely and fall.

型號 Model	包裝方式 Packing	淨重 N.W.	毛重 G.W.	材積 Cuft
HA101	外銷：板條箱 Wooden Crate	126 kgs	145 kgs	29.5'



JOLONG

久隆機械工業有限公司
JOLONG MACHINE INDUSTRIAL CO., LTD

41277台中市大里區健行路6巷88號

No. 88, Lane 6, Jianxing Rd., Dali Dist.,
Taichung City 41277, Taiwan

T : 886-4-2492-7009 / F : 886-4-2492-7007

E : info@jolong.com.tw / W : www.jolong.com.tw